



UX100 | UX110

Take your unattended transactions to the next level with the UX100 and UX110 PIN pads. These secure modules work with other UX devices to meet self-service demands indoors and out. Featuring an LCD screen that helps guide the customer experience, the UX 100 offers high performance and excellent durability. And with its weatherproof construction, the UX110 is ideal for off-street parking meters, petroleum pumps, ticketing machines and more. Pair them with the UX300 card reader to optimize your transaction functionality. Simple to integrate, the UX Series features flexible configuration settings with easy, single-cable connection between devices.

- Durable, metal front plate and weatherproof enclosure provide top- level protection against dust, liquids and other harmful substances withstanding IP65
- Anti-vandalism enclosure can withstand an impact up to 10 Joules (IK09)
- High contrast and readability within low temperatures and direct sunlight
- Fast and painless installation, thanks to plug-and-play functionality and standard USB connection

Specifications

Processor

32-bit RISC

Display (UX100)

2.5" (128 \times 64), white backlit

Keypad

10 + 6 keypad; 10 numeric, 4 colored- embossed function; 2 navigation keys; durability of 2,000,000 presses each

Connectivity

USB B 2.0 full speed

Security

PCI PTS 5.X-approved

Environmental

-20° C to 70° C (-4° F to 158° F) operating temperature, -25° C to 70° C (-13° F to 158° F) 10% to 90% relative humidity, non-condensing

Physical

UX 100: 142 mm L \times 108 mm W \times 26 mm H (5.59 in. L \times 4.25 in. W \times 1.02 in. H)

UX110: 101mm L \times 108mm W \times 26mm H (3.98 in. L \times 4.25 in. W \times 1.02 in. H)

Mechanics (cutout)

UX100: 120 mm \times 82 mm (4.72 in. \times 3.23 in.) UX110: 75mm \times 75mm (2.95 in. \times 2.95 in.)